



MOT: Ministry of Transport

CAAV: Civil Administration Aviation of VietNam


VATM: VietNam Air Traffic Management

NAA: Northern Airport Authority

MAA: Midle Airport Authority

SAA: Sounthern Airport Authority








VATM: Vietnam Air Traffic Management NORAT: Northern Region Air Traffic Services







VIETNAM AIR TRAFFIC MANAGEMENT



VATM

- Leader Board:
- + Director General
- + 3 Deputy Directors General
- Total staffs: 1910
- + Technical staff: 595
- + Air Traffic Controllers: 422



Southern Regional Air Traffic Control Services (SORATs)



- Main Functions and Duties: providing ATS services to all flights within HCM FIR
- Leader Board: Director and 3 Deputy Directors

Total Staff: 612

+ Technical staff: 226

+ Air Traffic Controllers: 187

 Average number of traffics operating within HCM FIR: 650 flights / day



Existing HCM ACC:



- Operated: in 1990
- Located at: 22-Tran Quoc Hoan Street.
- Responsibilities Area: HCM FIR 5 Sectors
- Adjacent ACCs: SIN, KUL, MNL, BKK,VTE, PHN, SANNYA, HAN.

Existing TSN APP:



- Operated: in 1990
- Located at: 22-Tran Quoc Hoan Street.
- Responsibilities Area: Tan Son Nhat
- International Aerodrome and local Aerodromes in the South
- 2 Sector



HOCHIMINH AACC PROJECT



Project Objects:

Meeting the forecasted traffic growth until 2020 and beyond with new technical systems of advanced technology and compliant with CNS/ATM requirements. Satisfying the future evolution of SORATS.

Scope of the Project:

Construction of a new HCM AACC Building, an Administration Office Building and a Sporting and Entertainment Area

 Total Capital: 360 billion VND (equal to 22 million USD)

Duration of Project Implementation:



- Feasibility Study Project started: in 2001
- •Implementation started: in 2002
- Acceptance Test: December 2005
- •ATC Transition: 1st Mar 2006
- Official Operation: 12th May 2006



The core technical systems manufactured by:



Automation Management Air traffic Control system:

- Product name: AEROCAT-X

- Manufacturer & Supplier: Thales corporation

VCCS system:

- Product name: VCS 3020X Rel 3.1

- Manufacturer & Supplier: Frequentis



THE AIR SPACE STRUCTURE in HCM FIR



- En-route control area:
- The entire of Ho Chi Minh FIR
- Sectorisation: 05 sectors
- Approach Control area:
- Tan Son Nhat TMA
- Sectorisation: 02 sectors
- Aerodrome Control Tower:
- 16 civil control towers



Surveillance services provided by Air Traffic Control Automation system (ATMS) which is connected with:



- 06 SSR stations located at DaNang, QuiNhon, TanSonNhat and CaMau, Vinh, Noi Bai (250NM each).
- 03 PSR stations located at DaNang, TanSonNhat, Noi Bai (80NM each).
- ADS via ARINC Network
- Surveillance coverage: All Viet Nam FIRs.



Communication services provided by VCCS system which is connected with:



G/G Communication by VSAT & Optical cable:

Voice communication

Data link communication (AIDC, OLDI)

AFTN Network

Air/Ground Communication:

VHF(06 at TSN), Extended VHF (4 at Sontra, Quinhon and Camau)

HF SEA II as back-up frequencies.

CPDLC via ARINC Network



The simulator system is a partition of ATMS system



The simulator system includes:

04 dual ATC training positions08 pseudo pilot positionsInstructor positionTarget generator & leader position

Purpose of the simulator system:

Controllers' OJT, proficiency, new procedure training Refresher training and emergency training

Automation Air Traffic Management System (ATMS) has been installed in the new Ho Chi Minh ATC building since 2004.



- It consists of:(席位)
 - 10 dual positions and a supervisor for ACC.
 - 04 dual positions and a supervisor for APP.
 - A dual position for Tower.
 - 02 positions for FDO.
- The system has also the capability to be used as a Backup of Hanoi ACC.
- In addition, the system includes a simulator partition for the purpose of training both of Enroute and TMA controllers.



Automation Air Traffic Management System (ATMS)



Providing surveillance functions:

Radar tracks within radar coverage

ADS track of appropriately equipped aircraft,

Extrapolated tracks based on coordinated FPLs

Providing safety net services:

Short Term Conflict Alert
Minimum Safe Altitude Warning
Danger Infringement Warning
RAM, CLAM, ETO, FPCF (Medium term conflict function)...

Supporting communication functions:

Air-ground com by using CPDLC application G/G communications by using AIDC application



Preparation tasks for commissioning of new AACC HCM Training for Controllers



Factory training:

- 16 ATC instructors
- Course duration: Ten weeks
- -Training contents: ATC, Simulator, Database Functions

On site training:

- Participants: All en-route & TMA controllers
- Duration: 03 months
- Training contents: ATC + FDO functions



Training for Technicians



- Factory training for every technical systems:
- Duration: Two weeks
- Participant: Senior engineers
- On site training:
- Duration: 03 months
- Participant: All technicians concerned



The transition plan



• The transition activities undergo four states:

State 1: Test and evaluation (Sep 1, 2005-Jan 15, 2006)4.5M

State 2: Operational trial (Jan 15,2006-Mar 1, 2006) 1.5 M

State 3: Transition (Mar 1, 2006- Mar 10, 2006) 10 D

State 4: Post Transition (Mar 10, 2006 – May 24, 2006)2.5 M



Several typical project on VATM in the future



- Project "New TanSonNhat International Airport TWR"
 Feasibility Study has been approved
 Expected time of completion: end of 2007
- Project "New Noi Bai International Airport TWR"
 Feasibility Study has been approved
 Expected time of completion: end of 2007
- Project " Aeronautical Information Services Automation System" Feasibility Study has been approved Expected time of completion: end of 2007
- Project " New HaNoi ACC"
 Feasibility Study shall be approved in 2007
 Expected time of completion: end of 2009

