

General earthworks and backfilling with Suitable for re-use materials











Restoring. Protecting. Informing.

Building a Cofferdam in Contaminated Ground













Cofferdam/Lagoon 2 Overview











Restoring. Protecting. Informing.

Excavation of the Waste Tip









Confined spaces – escape sets chemical resistant boots – or they melt!













Restoring. Protecting. Informing.

REMEDIATION TECHNOLOGIES











Aerial View of the Waste Tip Processing Plant



delivered by





37



Restoring. Protecting. Informing.

Waste Tip Processing









Remediation - Complex Sorting Used on Waste Tip Area - 250,000 m3

Ballistic separator- separated waste



streams
Clean to site

25 screen - oversize to

Clean to site Thermal Bio

- 25mm down
 - 50,000m3 soil wash
 - Flotation tank for wood, plastics etc
- Clean material to site sludge to thermal/bio

Clean material to site – sludge to

Recyclables removed off site



Asbestos removal

 separation at excavation face hand sorting on conveyor belt

Magnetic belt

75mm finger screen – oversize to crusher and site





delivered by





Restoring. Protecting. Informing.

Picking station





delivered by





Discard bins



delivered by





41



Restoring. Protecting. Informing.

Output stockpiles





east midlands development agency



Timber stockpile from tip











Restoring. Protecting. Informing.

Bio-Remediation











Remediation - Thermal Desorption Used on high contamination lagoon and waste tip material -300,000m3



Destroys all organic contaminants

Highly variable material to be treated

Material blended to give consistent feedstock

- Moisture content -
- Calorific Value –

Plant capable of treating 25 t/hr of blended feedstock

Plant to run 24 hours per day 7 days per









Restoring. Protecting. Informing.

Off-gas ducting to feed carbon filters











Excavation of Lagoon 4 sediments











Restoring. Protecting. Informing.

Loading into haulage trucks











Delivery to mixing area











Restoring. Protecting. Informing.

Discharge into Storage pit











Mixing Pit Filled With Lagoon 4 Sludges











Restoring. Protecting. Informing.

Loading into the plant













Treated Material











Restoring. Protecting. Informing.

Water Treatment Plant (inc. Bioreactor)











Thermal Treatment Plant







55



Restoring. Protecting. Informing.









Working in Partnership with all

Working with others to find a mutually acceptable solution

Partnership working is the project ethos.

This has lead to a partnership solution to the challenges on the site

Involving the community in the process by

- Community liaison groups
- · Consultation events
- Information Centre
- Newsletters
- · Website

For more information log onto www.theavenueproject.co.uk or contact - foweather.marcus@decukltd.com





delivered by

