

出國報告（出國類別：參與國際會議）

參與 ISO/IEC JTC1/SC2/WG2/IRG

第 37 次會議出國報告

服務機關：行政院主計處電子處理資料中心

姓名職稱：黃柏盛（設計員）

派赴國家：美國

出國期間：100 年 11 月 6 日至 100 年 11 月 12 日

報告日期：100 年 12 月 6 日

摘要

會議名稱：ISO/ICE JTC1/SC2/WG2/IRG 第 37 次會議

會議時間：2011 年 11 月 7 日~11 日

會議地點：Mountain View(, County of Santa Clara),CA,USA;美國加州(聖他客拉拉郡)山景城

主辦單位：美國 Unicode Consortium、Google Inc.

ISO/IEC 10646 之研擬制訂及維護工作，係由 ISO/IEC JTC1/SC2/WG2 所負責，為我國長期參與制訂的國際標準。而 ISO/IEC 10646 的漢字部分則由 WG2 所屬的 IRG 負責整理及蒐集，之後提交 WG2 進行編碼。

IRG 每年召開兩次會議，負責使用漢字（包括現代漢字和古代漢字）之各國家、地區的字形蒐集與整理工作。我國是為 IRG 正式會員。出席會議除有助於國家中文標準交換碼 CNS 11643 字集國際化外，亦可接收最新的國際字元編碼資訊，更可在字元編碼國際標準的制訂工作場合發揮我國的影響力，有助於發展實質外交。

本次會議在美國舉行，有臺灣、中國大陸、澳門、日本、南韓、越南及美國等國代表共 28 人出席會議。

各國代表依前(第 36)次會議結論進行複查 CJK-B 多欄式編碼表並提交應修清單及 ttf 字型檔，同時續審甲骨文字集第 2 版，並由我國舉行古漢字工作會議，以上活動結果於本次會報告。在本次會議中，除修訂 CJK-B 多欄式編碼表的最後審查工作外，並進行 CJK-E 字集審查工作。

本次會議結論，未來三次會議分別由南韓、越南及香港主辦。會後各會員繼續審查 CJK-E v7.0，並於預定時程內提交於 IRG 首席編輯。古漢字由各會於預定時程內提交予該工作組秘書，下次古漢字工作臨時會議由日本舉行，並於 IRG 第 38 次會議提報甲骨文字審查進度。

目次

壹、參與 IRG 會議目的	1
貳、行前會議記要	2
參、會議過程記要	3
肆、未來會議時間與地點	8
伍、待辦事項	8
陸、心得及建議	10
附錄	11
1. 出席人員名單	11
2. 會議及活動照片	13
3. 參考文件	17
一、IRG 第 37 次會議所有文件	17
二、我國代表提交文件	20
IRGN1773	20
IRGN1786	35
IRGN1795	39
IRGN1806	72

壹、參與IRG會議目的

IRG(Ideographic Rapporteur Group)為隸屬國際標準組織(ISO, International Organization for Standardization)與國際電子電工委員會(IEC, International Electrotechnical Commission)於 1984 年成立第一聯合技術委員會(JTC1, Joint Technical Committee 1)旗下第 2 工作組(WG2, Working Group 2)的表意文字工作小組。其主要為編製與整理亞洲之表意文字，會員來自中國、台灣、香港、澳門、日本、韓國、朝鮮、越南、新加坡和美國政府或電腦業界代表，每年舉辦兩次會議。

本工作小組為全球共用 ISO10646 漢字集之編訂及擴編相關事宜，並將結果彙集編 Unicode 碼，提供全球表意文字(含中)文資訊應用與交換。我國中文標準交換碼 CNS11643 廣泛應用於政府公文交換平台及金資系統，並且為戶政、地政、工商、財政、監理等五大行政資訊系統作為資訊交換用中文字元碼用。

我國持續參與本會議之目的為將 CNS 11643 中文標準交換碼字集納編於 ISO 10646 與 Unicode 中，以達與國際接軌之目標，另一方面亦有助於我國資訊發展與發展實質性外交。

我國參加本次會議為報告前（第 36）次會議要求各會員體須於會後進行下列工作：

- (1) 依據第 34～36 次會議 CJK 工作組報告，提交 CJK-B 應修訂漢字之清單與 ttf 字型檔供 WG2 專案編輯製作 CJK-B 多欄式編碼表修訂版。
 - (2) 複查修訂版 CJK-B 多欄式編碼表。
 - (3) 繼續審查甲骨文字集第 2 版，並召開古漢字工作組臨時會議進行複查。
- 我國已依規定時程完成上述第(1)及第(2)項工作，已提交相關報告；另於 9 月 26～29 日召開古漢字工作組臨時會議，圓滿完成。

除上述事項外，本次會議將討論並進行下列事項：

- (1) 配合會員國票決與出版時程之 ISO/IEC 10646 第 3 版，修訂版 CJK-B 多欄式編碼表的最後審查工作。
- (2) CJK-E 字集審查工作。
- (3) 其他議題。

貳、行前會議記要

行前會議於 100 年 10 月 25 日（星期二）下午四時假財團法人中文數位化技術推廣基金會台北市中山區中山北路三段 22 號北設工 9 樓中推會會議室舉行。

本行前會議是討論追蹤代表團於 IRG 第 36 次會議的交辦事項之執行情形，及規劃本次(IRG#37)會議議程之內容討論與準備、我方希望達成之目標，及於會議中問題處理之共識。本次會議我國提列 IRG N1773、N1786、N1795、N1801、N1806 等文件編號。行前會議討論主題如下：

- 一、 介紹 IRG#37 次會議之議程。
- 二、 我國大會報告內容。
- 三、 甲骨文進度報告。
- 四、 CJK 編碼表審查工作說明。
- 五、 臨時動議。

參、會議過程記要

11月7日（星期一）上午：

IRG 大會：

1. 主席宣布開會。
2. 與會人員逐一自我介紹(roll call)。
3. 主席指派大會秘書、組織決議起草小組（每會員體一名代表，我國由曾士熊參與決議起草小組）。
4. 確認本次會議議程，議程詳見[IRG-N1810Agenda](#)。
5. 主席報告 IRG#36 決議執行情形。
6. 各會員體代表報告各自相關活動，我國活動報告詳見[IRGN1806](#)。
7. 日本代表提交 IRG N1812 “Japan's concern regarding quality of revised font for CJK B multicolumn code chart for 10646 3ed.”及 IRG N1813 “An advanced notice on future extension proposal to CJK Unified Ideographs”，經初步討論後，主席裁決交 CJK 工作組討論。
8. 議程 5.6 第 2 項 IVS(Ideograph Variant Sequence) 和 IVD(Ideograph Variant Sequence) 議題，僅初步討論，無任何結論。我國代表發言表示萬一遇到部分相容的異體字時（即某些場合可互為異體字，但於其他場合不能互為異體字的漢字），若一體適用 IVS 將造成錯誤性轉換。

11月7日（星期一）下午：

CJK 工作組審查新版 CJK-B 編碼表：

1. 逐項討論日本代表所提交的 CJK-B 多欄式編碼表審查意見。參見 [IRG N1784 系列文件](#) 中的 “[Japan feedback](#)”。我國事先提交之回應參見該系列文件中的 “[TCA response](#)”。
2. 逐項討論中發現仍有兩個我國來源漢字需依 UCS2003 字型修訂：
 - U+24503/T6-3251

24503 𠂇 𠂈
爪 87.5 UCS2003 T6-3251

- U+2462C/T6-2C6D :

2462C 𠂉 𠂊
牛 93.4 UCS2003 T6-2C6D

3. IRG 預定向 WC2 提交錯誤報告，建議將 U+21F2C 的 UCS2003 字型修訂為同 GHZ-10796.16，並我國來源漢字 T5-4C6E 從 U+21F12 移到 U+21F2C。

21F12 𡵀 𡵁 𡵂
山 46.12 UCS2003 GKX-0319.30 T5-4C6E
21F2C 𡵀 𡵁
山 46.12 UCS2003 GHZ-10796.16

11 月 8 日（星期二）上午：

CJK 工作組審查新版 CJK-B 編碼表：

1. 繼續逐項討論日本代表所提交的 CJK-B 多欄式編碼表審查意見。參見 [IRG N1784 系列文件](#) 中的 “[Japan feedback](#)”。我國事先提交之回應參見該系列文件中的 “[TCA response](#)”。
2. 逐項討論中國大陸代表所提交的 CJK-B 多欄式編碼表審查意見。參見 [IRG N1784 系列文件](#) 中的 “[China feedback](#)”。
3. 逐項討論香港代表所提交的 CJK-B 多欄式編碼表審查意見。參見 [IRG N1784 系列文件](#) 中的 “[HKSAR feedback](#)”。
4. 逐項討論越南代表所提交的 CJK-B 多欄式編碼表審查意見。參見 [IRG N1784 系列文件](#) 中的 “[Vietnam feedback](#)”。
5. 逐項討論中發現仍有兩個我國來源漢字需修訂同 UCS2003 字型：

- U+26F75/T5-5D70

26F75 𡵃 𡵄
艸 140.13 UCS2003 T5-5D70

- U+28453/T4-2524 :

28453 是 162.3 迟 迟 迟
 UCS2003 GKX-1253.25 T4-2524

11 月 8 日（星期二）下午：

1. CJK 工作組審查新版 CJK-B 編碼表：

- (1) 逐項討論日本代表所提交的 CJK-B 多欄式編碼表審查意見。參見 [IRG N1784 系列文件](#) 中的 “[ROK FeedbackP2](#)”。我國事先提交之回應參見該系列文件中的 “[TCA response](#)”。
- (2) 逐項討論發現我國來源漢字 T5-2E6E 須從 U+24C36 移到

U+24C53

24C36 田 102.4	串	串	串
	UCS2003	GKX-0760.34	T5-2E6E
24C53 田 102.5	串	串	↓
	UCS2003	GKX-0761.19	

2. 大會：

- (1) 討論南韓代表建議修訂 IRG P&P，參見 [IRG N1781](#) 及 [IRG N1782](#)。
- (2) 討論日本代表提交的甲骨文編碼建議與南韓代表評論，參見 [IRG N1771 系列文件](#)。

3. CJK 工作組審查 CJK-E 字集：

- (1) 討論澳門代表所提交 68 個漢字字型，參見文件 [IRG N1791](#)。
- (2) 逐項審查各國所提交 CJK-E 字集審查意見，參見 [IRG N1779 系列文件](#)。

4. 我國代表發 mail 請中推會同仁緊急製作 U+24503/T6-3251、U+2462C/T6-2C2D、U+26F75/T5-5D70 及 U+28453/T4-2524 共 4 個中文字的字型。

11 月 9 日（星期三）上午：

1. 我國代表將中推會同仁緊急製作的 4 個修訂字型提交 UCS 專案編輯 Michel，以便其再次修訂 CJK-B 多欄式編碼表。

2. CJK 工作組審查 CJK-E 字集：

- (1) 繼續逐項審查各國所提交 CJK-E 字集審查意見，參見 [IRG N1784 系列文件](#)。
- (2) 逐項討論發現我國來源漢字 01918/TC-305D(01918 婁)、03411/TE-346C(03411 擲)、04257/TD-5D72(04257 穀) 及 08950/TD-342D(08950 閱) 共 4 個字型有錯需訂正。
- (3) 討論確保 CJK-E 字集品質的審查程序，初步共識為：M 子集的 6 千多字需要再次審查，審查合格者再與 D 子集審查合格者合併成單一編碼表，進行最後審查。

11 月 9 日（星期三）下午：

1. CJK 工作組審查 CJK-E 字集：繼續逐項審查各國所提交 CJK-E 字集審查意見，參見 [IRG N1779 系列文件](#)。
2. CJK 工作組審查：起草工作組報告，規劃 CJK-E 字集後續審查工作及時程。
3. 大會：
 - (1) 確認已完成議程項目。
 - (2) 古漢字工作組秘書魏林梅秘書長報告我國主辦古漢字臨時會議的成果，參見 [IRG N1814 系列文件](#)。

11 月 10 日（星期四）上午：

1. 大會：起草古漢字工作組報告，參見 [IRG N1827](#)。
2. CJK 工作組：
 - (1) 起草工作組報告，參見 [IRG N1824](#)。
 - (2) UCS 專案編輯將再次修訂完成的 CJK-B 多欄式編碼表最終版分送與會代表，參見 IRG N1828。

11 月 10 日（星期四）下午：

1. CJK 工作組：繼續起草工作組報告，參見 [IRG N1824](#)。
2. 大會：
 - (1) 起草 IRG P&P 修訂版，參見 [IRG N1823](#)。

- (2) CJK工作組報告，參見[IRG N1824](#)。
- (3) 古漢字工作組報告，參見[IRG N1827](#)。
- (4) 起草並通過大會決議，參見[IRG N1810](#)。

11月11日（星期五）：
參訪活動

肆、未來會議時間與地點

一、IRG 第 38 次會議：南韓主辦。

日期：2012 年 6 月 18 日～22 日。

二、IRG 第 39 次會議：越南主辦。

日期：2012 年 11 月 12 日～16 日。

三、IRG 第 40 次會議：香港主辦。

日期：2013 年 5 月 20 日～24 日。

伍、待辦事項

一、CJK-E 字集審查工作的會後時程如下（參見大會決議 IRG M37.3）：

• 第 1 輪審查時程：

完成日期	待辦事項
2012-01-13	IRG 技術編輯分送 CJK-Ev7.0 (IRG N1829)給各會員體。
2012-03-16	各會員體提交 CJK-Ev7.0 審查報告給 IRG 首席編輯。
2012-03-23	IRG 首席編輯分送 CJK-Ev7.0 審查報告彙整表給各會員體及 IRG 技術編輯。
2011-03-30	IRG 技術編輯分送 CJK-Ev7.1 (IRG N1830)給各會員體。

• 第 2 輪審查時程：

完成日期	待辦事項
2012-05-25	各會員體提交 CJK-Ev7.1 審查報告給 IRG 首席編輯。
2012-06-08	IRG 首席編輯分送 CJK-Ev7.1 審查報告彙整表給各會員體及 IRG 技術編輯。
2011-06-18	IRG 技術編輯提交 CJK-Ev7.2 (IRG N1831)至 IRG 第 38 次會議。

二、古漢字整理工作的會後時程如下（參見大會決議 IRG M37.7）：

預定日期	待辦事項
2011-12-15	會員體以 Excel 格式提交許慎部首 77 至 540 部分甲骨文字 (IRG N1814 附件) 審查意見給工作組秘書。
2011-12-31	工作組秘書彙整上述甚查結果(IRG N1835)。
2012-02-01	會員體提交回應意見給工作組秘書。
2012-02-20~23	古漢字工作組於日本舉行臨時會議(ad hoc meeting)。
IRG#38	古漢字工作組提報甲骨文字審查進度。

三、標準事務「標準化」：

- UCS 專案編輯提交未來提交修訂字型檔之命名規定 (參見大會決議 IRG M37.2)。
- IRGWDS 編輯依據本次會議審查 CJK-B 編碼表及 CJK-E 字集結果修訂 IRGWDS，各會員體對該修訂如有任何評論可於 2012-06-07 之前提交 IRG 主席 (參見大會決議 IRG M37.5)。
- 古漢字工作組如對古漢字 P&P 有任何修訂建議或意見可於 2012-05-15 之前提交 IRG 第 38 次會議討論 (參見大會決議 IRG M37.8)。
- 古漢字工作組針對古漢字編碼架構及字型品質有任何建議或意見可提交 IRG 第 38 次會議討論 (參見大會決議 IRG M37.9)。
- 就 WG2 要求未來提交之漢字屬性需增加總筆劃數一事，各會員體如有不同意見可提交 IRG 第 38 次會議討論 (參見大會決議 IRG M37.13)。

陸、心得及建議

我國中文資訊與表意文字的發展是有很密切相關的，因此，標準化的制訂，對資訊高度發展的我國有是非常的重要性，CNS11643標準制訂可以解決諸如文件的交換可能產生文字不相容的問題。本會議是將我國CNS11643的標準字集推向國際的ISO標準，有利於我國與外國的文件交換，提昇文化交流。

表意文字是經過一段非常長的時間的發展，所以在字形、字音及字義的演化上，都有其深入探討與了解的必要性。為維護國家在文字編碼上的利益，參加國際表意文字標準制訂工作必須持續並且更加充實相關之專業能力。尤其要將其數位標準化時即產生一些有待釐清的問題，如對於文字的內涵與發展不甚了解，即有可能產生矛盾的問題，此時專業能力的表現，便可解決一些問題，並可贏得其他會員的敬重。

就參加本次(IRG#37)會議後之建議如下：

1. 古漢字納入全字庫以充實全字庫之內容：

古漢字目前的工作審查甲骨文字集第2版制訂。若古漢字在國內先行制訂標準，不單可以發展古文字數位化，並可將成果推向世界。另外本中心若能考慮規劃將古漢字納入全字庫，外充實全字庫內容外，還可提供更廣大的使用者使用查詢利用。

2. 持續邀請國內專家學者共同制訂本國文字集內容，可在國際相關文字編碼會議展現我國之專業性：

目前CNS11643標準字集的制訂，皆有邀請專家學者共同制訂，在文字集標準制訂處理上具有其專業性，如能結合標準字集的制訂經驗，應用在IRG的會議裏，不但可以展現我國對文字的專業性，另外對IRG會議也能有所貢獻。

3. 持續參加IRG相關會議，以利我國資訊文字之發展：

目前而言，IRG會議是為一常設性之定期工作會議，其工作是具延續性，若能持續性參加，對於我國資訊文字發展將會有很大的效益。

附錄

1. 出席人員名單

共計 28 人出席會議，分屬臺灣、中國大陸、澳門、日本、南韓、越南及美國，與會人員名單如下：

會員體	英文姓名	中文姓名	服務單位
主席	Lu Qin	陸 勤	Hong Kong Polytechnic University
台灣	Bear S. Tseng	曾士熊	中央研究院計算中心
台灣	Selena Wei	魏林梅	中文數位技術基金會
台灣	Julie S. C. Chuang	莊素琴	經濟部標準檢驗局
台灣	Kuang Shun Lin	林光舜	經濟部標準檢驗局
台灣	Po Sheng Huang	黃柏盛	主計處電子資料處理中心
中國大陸	Chen Zhuang	陳壯	Chinese Electronics Standardization Institute
中國大陸	Wang Xiaoming	王曉明	Institute of Applied Linguistics, Ministry of Education P.R.C
中國大陸	Wu Jian	吳健	Institute of Software, Chinese Academy of Sciences
中國大陸	Tang Yinmin	唐英敏	Beijing Founder Electronics Co., Ltd.
中國大陸	Liu Yang	劉洋	Peking University
中國大陸	Shi Jianqiao	史建橋	The Commercial Press (商務印書館)
中國大陸	Lan Fei	蘭飛	Beijing Zhongyi China Standard Technology Ltd.
澳門	Lie Veng Hong	李穎康	Transport Bureau

會員體	英文姓名	中文姓名	服務單位
澳門	Leoug U Lam	梁汝林	Transport Bureau
南韓	KIM, Kyongsok		Pusan National University
南韓	Kang Mi-young	姜美英	The National Institute of the Korean Language
南韓	Pyo Soon Ja	表順子	Vacusoft Inc.
日本	Satoshi Yamamoto	山本知	Hitachi, Ltd., Software Division
日本	Kobayashi Tatsuo	小林龍生	Information Promotion Association Scholex Co., Ltd.
日本	Kawabata Taichi	川幡太一	NTT
日本	Toshiya Suzuki	鈴木俊哉	Hiroshima University
越南	Ngo Trung Viet	吳中越	Institute of Information Technology
美國	John H. Jenkins	井作恆	Apple Inc.
美國	Ken Lunde	小林劍	Adobe Systems Incorporated
美國	Michel Suignard		Unicode Consortium
美國	Craig Cummings		Rearden Commerce
美國	Richard S. Cook	曲理察	Wenlin Institute, Inc.

2. 會議及活動照片



圖 1 會議地點 Google 公司 GWC2



圖 2 會場標示牌



圖 3 等待會議開始



圖 4 大會場景：確認議程



圖 5 CJK 工作組會議進行場景之 1



圖 6 CJK 工作組會議進行場景之 2



圖 7 我國代表合照



圖 8 與會人員合照

3. 參考文件

一、 IRG 第 37 次會議所有文件

Doc Number	Description	Contributor	Date first assignment
IRGN1840(Attachment)	Change of Unicode Technical Standard #37 Related to Ideographic Variation Database	Unicode	2011.11.15
IRGN 1839	Update of N1648 summary of IRGWDS	IRG	2011.11.10
IRGN 1838	Errata Report to WG2(including IRG 37 and IRG 36 reported errors)	IRG	2011.11.10
IRGN 1837	Errata Report in IRG 37	IRG	2011.11.10
IRGN 1836	Old Hanzi Ad Hoc Report(for Feb. 20 - 23, 2012 Tokyo meeting) (Preassigned)	Old Hanzi Group	2011.11.10
IRGN 1835	Consolidated List (Preassigned)	Old Hanzi Group	2011.11.10
IRGN 1834	Second Review for SW 77-300 (Preassigned)	Japan	2011.11.10
IRGN 1833	Second Review for SW 77-300 (Preassigned)	China	2011.11.10
IRGN 1832	Second Review for SW 77-300 (Preassigned)	TCA	2011.11.10
IRGN 1831	CJK Ext. E V7.2 (Preassigned)	Ext. E	2011.11.10
IRGN 1830	CJK Ext. E V7.1 (Preassigned)	Ext. E	2011.11.10
IRGN 1829	CJK Ext. E V7.0 (Preassigned)	Ext. E	2011.11.10
IRGN 1828	FDIS of Ext. B	Michel Suignard	2011.11.09
IRGN 1827(Appendix Revised PnR version 3)	Old Hanzi Discussion Report	IRG	2011.11.09
IRGN 1826	comments RE: N1648 summary of	Prof. Kim	2011.11.08

Doc Number	Description	Contributor	Date first assignment
	IRGWDS		
IRGN 1825	Proposal to establish a "JADOBE" source for the KIRG_JSource field	Ken Lunde	2011.11.08
IRGN 1824 (AppendixA , AppendixB)	Editorial Group Report(Ext. B, Ext. E, IRGPnP, H Ext.)	CJK Editorial Group	2011.11.08
IRGN 1823 (draft)	IRG PnP Update	IRG	2011.11.08
IRGN 1822	Requirements for Font Provision	Michel Suignard	2011.11.08
IRGN 1821(Part1 , Part2)	Old Hanzi Review TCA(post allocation of document)	TCA	2011.11.08
IRGN 1820	Explanation for the Differences between UCS and Vietnam Sources	Vietnam	2011.11.08
IRGN 1819	Using V50 Font for CJK Chars in K Column of UCS	ROK	2011.11.08
IRGN 1818	IRG Meeting No. 38 Logistics	ROK	2011.11.08
IRGN 1817 Confirmed	Updated Email list	Rapporteur	2011.11.02
IRGN 1816 Confirmed	Participants List	Rapporteur	2011.11.02
IRGN 1815	Invitation for Old Hanzi Adhoc Meeting 2012.02.20 - 23	Japan	2011.10.28
IRGN 1814 (AppendixA , AppendixB1 , AppendixB2) Japan Feedback (Attac	Editorial Report of Old Hanzi Ad Hoc Group Meeting 2011.09.26 - 30	Old Hanzi Expert G.	2011.10.19

Doc Number	Description	Contributor	Date first assignment
hment)			
IRGN 1813 (Attachment)	Preliminary proposal to add CJK Unified ideographs	Japan	2011.10.19
IRGN 1812	Japan's concerns on the revised CJK B chart for 10646 3ed	Japan	2011.10.19
IRGN 1811	A request of a horizontal extension of 155 Hanja chars for ROK	ROK	2011.10.16
IRGN 1810	IRG Meeting No. 37 Resolutions	IRG	2011.10.16

二、 我國代表提交文件

Universal Multiple-Octet Coded Character Set
UCS

ISO/IEC JTC1/SC2/WG2 IRG N1773 2011-04-12

Title:	TCA review result on Old Hanzi 2nd round
Source:	TCA
Status:	
Action:	
Distribution:	Old Hanzi Expert Group
Reference:	
No. of pages:	2
Medium:	Electronic

Radical 76 to 234

TCA review result on Old Hanzi 2nd round

ID	Comment	Comments
G00861	待討論	need discussion
G00862		
G00863		
G00864		
G00858	不同一字	need discussion
G00868	與 p264 的 T00951 重複	the same with P.264 T00951
G00875	與 P264 「又」 放在一起	put together with P.264 radical 又
T00954		put together with P.264 radical 又
T00955		put together with P.264 radical 又
T00956		put together with P.264 radical 又
T01013		待討論
T00973	待討論	need discussion
T01030	待討論	need discussion
T01032	待討論	need discussion
T00964	待討論	need discussion
T00965		need discussion
T00966		need discussion
T00953	查原片	need to check Original Shape
T01042	待討論	need discussion
T01043	待討論	need discussion
T00977	待討論	need discussion

T00978		need discussion
T00979		need discussion
T00980		need discussion
T00981		need discussion
T00998	查原片	need to check Original Shape
T01003	待討論	need discussion
T01005	待討論	need discussion
T00969	待討論	need discussion
T01049	待討論	need discussion
T01050	待討論	need discussion
T00976	1、查原片 2、移至 T00974	1.need to check Original Shape 2.move to T00974
T01015	查原片	need to check Original Shape
T01026	待討論	need discussion
T01031	查原片	need to check Original Shape
T01047	1、查原片 2、說文移至 T01048	1. need to check Original Shape 2.moove to T01048
T01048	待討論	need discussion
T01051	待討論	need discussion
T01058	查原片	need to check Original Shape
T01062	查原片	need to check Original Shape
T01063	查原片	need to check Original Shape
T01066	查原片	need to check Original Shape
G00892	與 P278 的 T00962、T00963 合併	unifywith P. 278 T00962, T00963
G00893		
G00894	與 P278 合併	unify with P. 278
G00895	與 P278 的 T00968 合併	unify with P. 278 T00968
G00896		
G00897		
G00916	與 P277 的 T00976、P278 的 T00974、P279 的 T00975 合併	unify with P. 277 T00976,P.278 T00974,P.279 T00975
G00917		
G00931	選一	unifiable
G00932		
G00943	與 P279 的 T01012 合併	unify with P.279 T01012
G00945	與 P279 合併	unify with P.279
G00947	合併	unifiable
G00948		

G00949		
G00951 ~G00959	與 P280、281 合併	unifiable
G00960 ~G00968	與 P270、271 合併	unifiable
G00971 ~G00974	與 P267 合併	unifiable
T01080	待討論	need discussion
G01011	與 P303 的 T01080 重複	unify with P.303 T01080
T01075		need discussion
T01076	待討論	need discussion
T01077		need discussion
G01001	待討論	need discussion
G01013	放至 P303 的 G01009	move to G01009
G01019	摹修	Modify Rep. Script Glyph
T01106	待討論	need discussion
T01110	待討論	need discussion
T01114	1、查原片 2、部首?	1. need to check Original Shape 2. Radical?
T01104	查原片	1. need to check Original Shape
T01096 ~T01098	待討論	need discussion
T01100 G01043	刪一	deleted on
T01103 T01105	與 P314 合併	unify with P.314
G01039	與 P315 合併	unify with P.315
G01040 ~G01046	與 P315 合併	unify with P.315
G01047	與 P315 的 T01103 合併	unify with P.315 T01103
G01050	待討論	need discussion
G01051		
G01053	與 P317 合併	unify with P.317
G01054		
G01060	摹修	Modify Rep. Script Glyph
G01061	與 P316 的 T01111 合併	unify with P.316 T01111
G01073	待討論	need discussion

G01084	原型切割清楚	
G01087	與 P325 的 G01088 選一	unify with P.325 G01088
G01090	摹修	Modify Rep. Script Glyph
G01095	與 T01131 選一	unify with T01131
G01182	摹修	Modify Rep. Script Glyph
T01156	與 P314 的 T01094 合併	unify with P.314 T01094
G01435	刪去與 P287 的 T01065 重複	deleted
T01137 T01139	說文放至「父」部	change radical to 父
G01101	與 P277 的「啓」合併	unify with P.277
G01106	摹修	Modify Rep. Script Glyph
G01110	查原片	check Original shape
G01111	待討論	need discussion
G01122	摹修	Modify Rep. Script Glyph
G01124 ~G01127	待討論	need discussion
G01134	摹修	Modify Rep. Script Glyph
G01140	摹修	Modify Rep. Script Glyph
G01144	與 P287 的 T01065 合併	unify with P.287 T01065
G01150 ~G01159	重複	unifiable
G01163	摹修	Modify Rep. Script Glyph
G01164	摹修	Modify Rep. Script Glyph
G01166	摹修	Modify Rep. Script Glyph
G01171	摹修	Modify Rep. Script Glyph
G01177	摹修	Modify Rep. Script Glyph
G01191	摹修	Modify Rep. Script Glyph
T01138	與 P331「啓」合併	unify with P.331
T01143	與 P334 合併	unify with P.334
T01150	查原片	check Original shape
T01154 ~T01157	與 P335 合併	unify with P.335
T01172 ~T01174	與 P341 合併	unify with P.341
T01181 T01182	與 P340 合併	unify with P.340
T01183	與 P344 合併	unify with P.344

T01184		
T01198	待討論	need discussion
T01203	待討論	need discussion
T01206	查原片	check Original shape
T01207	要此字嗎?	delete?
T01209	查原片	check Original shape
G01205	與 P357 的 T01224 重複	unify with P.357 T01224
G01206	與 P357 的 T01222 重複	unify with P.357 T01222
G01210	與 T01226 選一	unify with P.357 T01226
G01222	摹修	Modify Rep. Script Glyph
T01237	查原片	check Original shape
T01246	沒圖片，待討論	need discussion
T01247		
T01254	與 P361 合併	unify with P.361
T01257	查原片	check Original shape
T01260	查原片	check Original shape
T01265	要嗎?	delete?
G01212 ~G01216	與 P363 合併	unify with P.363
T01292	待討論	need discussion
T01296	不清楚	delete?
T01298	字不全	delete?
G01236	與 P369 的 T01284 合併	unify with P.369 T01284
G01250	與 P369 的 T0129 合併	unify with P.369 T01289
G01253		
G01266	摹修	Modify Rep. Script Glyph
G01257	待討論	need discussion
T01300	查原片	check Original shape
T02161	待討論	need discussion
T01338	查原片	check Original shape
G01286	摹修	Modify Rep. Script Glyph
G01265	若收與 P377 合	unify with P.377
G01289	待討論	need discussion
G01312	查原片	check Original shape
T01312	與 P381 合併	unify with P.381
T01316	刪，與 P381 的 G01277 同	unify with P.381 G01377
T01320	不要片殘	unify with P.377

T01321		
T01323		
T0124	與 P384 合併	unify with P.384
T01325		
T01329	摹修	Modify Rep. Script Glyph
T01334	與 P379 的 G01284 選一	unify with P.379 G01284
T01332 ~T01337	與 P379 合併	unify with P.379
T01367	摹修	Modify Rep. Script Glyph
T01364	查原片	check Original shape
T01369	查原片	check Original shape
T01362	與 P392 合併	unify with P.392
T01360	摹修	Modify Rep. Script Glyph
T01355	查原片	check Original shape
T01356	與 P387 的 T01309 重複	unify with P.387 T01309
T01357		
G01328	與 P393 「自」 合併	unify with P.393
G01337	待討論	need discussion
G01340	「皆」此从火不从口	change radical ?
T01363	與 P392 的 T01364 合併	unify with P. 392 T01364
G01372 ~G01374	與 P300 的 T01347 合併	unify with P. 300 T01347
G01377	與 P401 的 T01378 二選一	unify with P. 401 T01378
G01384	摹修	Modify Rep. Script Glyph
G01402	待討論	need discussion
T01392	摹修	Modify Rep. Script Glyph
G01441	待討論	need discussion
G01442		need discussion
T01453	摹修	Modify Rep. Script Glyph
G01462	摹修	Modify Rep. Script Glyph
T01417	待討論	need discussion
T01422	摹修	Modify Rep. Script Glyph
T02166	與 P421 合併	unfy with P.421
T02167		
T02168		
T01443	查原片	check Original shape
G01452	待討論	need discussion

G01480	摹修	Modify Rep. Script Glyph
T01466	摹修	Modify Rep. Script Glyph
G01485	待討論	need discussion
G01474	待討論	need discussion
T01460	待討論	need discussion
G01475	摹修	Modify Rep. Script Glyph
G01477	查原片	check Original shape
T03785	與 P433 的 G01473 合併	unify with P.433 G01473
G03752	摹修	Modify Rep. Script Glyph
G03764	查原片	check Original shape
G01497	是否選一	unifiable
T01480		
G01526	摹修	Modify Rep. Script Glyph
T01520	查原片	check Original shape
G01545	摹修	Modify Rep. Script Glyph
G01504	選一	unifiable
T01510		
G01505	選一	unifiable
T01512		
G01536	與 P453 合併	unify with P. 453
G01548	查原片	check Original shape
G01550	同	unifiable
T01535		
G01551	待討論	need discussion
G01556	字殘	delete?
G01559	未見 T01542	T01542?
T01542		
T01554	待討論	need discussion
T01541	待討論	need discussion
G01593	摹修	Modify Rep. Script Glyph
G01587	摹修	Modify Rep. Script Glyph
G01588		
G01589		
G01569	摹修	Modify Rep. Script Glyph
G01571	摹修	Modify Rep. Script Glyph
G01572		
G01581	摹修	Modify Rep. Script Glyph

G01582		
G01583		
G01584	摹修	Modify Rep. Script Glyph
T01574	摹修	Modify Rep. Script Glyph
T01593	待討論	need discussion
G01623 ~G01626	待討論	need discussion
G01641 ~G01610	相同刪一	unifiable
G01643 ~T01611	刪一	unifiable
T01613	刪，與 P486 的 G01642 同	unify with P.486 G01642
G01646	摹修	Modify Rep. Script Glyph
G01662	摹修	Modify Rep. Script Glyph
G01659	可保留	keep
T01666	查原片	check Original shape
T01655 T01656	與 P497 合併	unify with P.497
G01673	摹修	Modify Rep. Script Glyph
G01674	查原片	check Original shape
G01682	查原片	check Original shape
T01646	查原片	check Original shape
T01651	可保留	keep
G01705 G01706	摹修	Modify Rep. Script Glyph
T01687	查原片	check Original shape
T01689	摹修	Modify Rep. Script Glyph
G01714	摹修	Modify Rep. Script Glyph
G02767	待討論	need discussion
T01721	查原片	check Original shape
T01750	摹修	Modify Rep. Script Glyph
G01735	摹修	Modify Rep. Script Glyph
T01268	查原片	check Original shape
T01271	查原片	check Original shape
G01746	摹修	Modify Rep. Script Glyph
G01747	查原片	check Original shape
G01761	摹修	Modify Rep. Script Glyph

G01763	摹修	Modify Rep. Script Glyph
T01831	當保留?	delete?
G01828	摹修	Modify Rep. Script Glyph
T01826	放至「且」部說	change radical to 且
G01834		
T01828	原片，不清楚	Original shape not clear
G01780	查原片	check Original shape
G01792	摹修	Modify Rep. Script Glyph
T01782	與 P542 合併	unify with P 542
T01816	與 P547 的 G01840 同	unify with P 547 G01848
G00317	與 P543 合併	unify with P 543
T01827	放至「且」部	change radical to 且
T01844	說文為「丰刀」部 139	change radical to 「丰刀」 no. 139
T01845		
G02666		
G01844	待討論	need discussion
G01845		
T01850		
T01858	1、查原片 2、摹修	Modify Rep. Script Glyph
T01861	查原片	check Original shape
T01863	與 P553 的 G01856 同	unify to P. 553 G01856
T01862	刪一	unifiable
G01855		
G01847	與 P552 的 T01858 重複	unifywith P. 552 T01858
G01849	摹修	Modify Rep. Script Glyph
G01850	摹修	Modify Rep. Script Glyph
G01860	與 P554 的 T01864 同	unify with P. 554 T01864
T01878	同	unifiable
G01864		
G01867	形同 T01878， 刪	unify with T01878
T01901 ~T01900	與「卅」P237 同	unifywith P. 237 「卅
T01886	與 P559 的 T01893 形相同	unify with P. 559 T01893
T01889	查原片	check Original shape
T01891	與 P559 的 T01890 合	unify wiht P. 559 T01890
G01900	查原片	check Original shape

G01901	查原片	check Original shape
G01894	與 P563 的 T01906 形同	unify with P. 563 T01906
T02169		
G01902	與 P231 的 G00770、	unify with P. 563 T01906
G01903	P232 的 G00771 合併	
G01904		
T02170		
G01905	與 P231、232 合併	unify with P.231, 232
G01906		
T01908		
T01909		
T01914	與 P569 的 G01909 形同	unify with 549 G01909
T01914	與本頁 G01914 同	unify with G01914
T01918	查原片	
G01918	形同 P571 的 T01919	unify with P. 571 G01919
T01922	與 P572 的 G01920 同	unify with P. 572 G01920
G01974	選一	unifiable
G01975		
G01972	與 P581 可合	unify with P. 581
G01982	與 P581 的 G01986 合	unify with P. 581 G01986
G01983	形重複，刪	delete, unifiable
G01995	形同刪一	unifiable
G01996		
G02011	保留	keep
G02014	保留	keep
G02010	保留	keep
G02022	保留	keep
G02012	與 P588 的 G02017 同	unify with P588 G02017
G02018	查原片	check Original shape
T01936	與 P588 的 G02019 同	unify with P588 G02019
T01938	查原片	check Original shape
T01939	查原片	check Original shape
T01948	與 P589 的 G02039 合	unify with P589 G02039
G02023	查原片	check Original shape
G02032	與 P592 的 T01943 重複	unify with P592 T01943
G02070	與 P597 的 T01972 同，與 P597 合併	unify with P597 T01972, P997
G02071	P 與 P597 的 T01969 同	unify with P597 T01969, P997
T01983	與 P600 的 G02076 同	unify with P600 G02076

G00918	移至 P602	move to P.602
G01338	與 P120 的 T00471 同	unify with P120 GT00471
G01339	又見 P121 的 T00470	unify with P121 T00470
G01342		
G01345		
G01344	與 P520 的 T01738 合	unify with P5209 T01738
G01341		
G0133		
G01350	移至 P124 的 G01349	move to P124 G01349
G01352		
G02084	與 P603 的 G00918 同	unify with 603 G00918
G02128	與 P605 合	unify with P605
T01996	查原片	check Original shape
T01998	查原片	check Original shape
T01999	摹修	Modify Rep. Script Glyph
T02000	查原片	check Original shape
T02001		
T02002	摹修	Modify Rep. Script Glyph
T02010	待討論	need discussion
G02087	與 P611 的 T02015 同	unify with
G03099	查原片	check Original shape
G02106	查原片	check Original shape
T02047	要嗎?	delete?
G02163	查原片	check Original shape
G02131		
G02132	P623 的 T02043 合併	unify with P.623 T02043
G02133		
G02135	與 P623 的 T02048 同，刪	unify with P. 623 T02048
G02141	與 P624 的 T02051 同，刪	unify with P. 624 T02051
G02161	查原片	
T02070	與 P633 的 G02176 重複	unify with P. 633 G02176
G02182	與 P634 的 T02074 重複	unify with P. 634 T02074
T02079		
T02080	字形同是否可刪	unifiable
T0447		
G02191	與 P637 的 T02080 重複	unify with P. 637 T02080
G02194	查原片	check Original shape

G02196	與 P638 得 T02081 重複	unify with P. 638 T02081
T02087		
T02088	與 P644 合	unifiable
T02089		
T02093	與 P644 合	unifiable
T02094		
T02102		
T02095 ~T02098	與 P645 合	unifiable
T02119	查原片	check Original shape
T02130	查原片	check Original shape
T02133	查原片	check Original shape
T02111	查原片是否有兩點	check Original shape
G02262	與 P649 合併	unify with P.649
G02263	與 P649 的 T02120 同	unify with P.649 T02120
G02269	與 P650 的 T62124 同	unify with P.650 T62124
G02270	與 P650 的 T02125 同	unify with P.650 T02125
T02136	不清楚，要嗎?	not clear, delete?
G02284	與 P659 的 T02139 同	unify with P. 659 T02139
G02285	與 P658 的 T02138 同	unify with P. 658 T02138
T02173	與 P665 的 G02304 同	unify with P. 665 G02304
T02196	不清楚	not clear, delete?
T02187	查原片	check Original shape
T02188		
T02197	同	unifiable
T02186	查原片	check Original shape
G02308		
G02311	與 P667 合	unify with P.667
G02309		
G02312		
G02313	與 P667 合	unify with P.667
T02200		
G02310		
G02320	同	unifiable
T02204		
T02207	三選一	unifiable
G02327		

G02328		
T02208	二選一	unifiable
G02331		
T02223	二選一	unifiable
G02349		
G02352	不要	delete?
T02243	查原片	check Original shape
G02371	保留	keep
T02244	與 G023681 同	unify with G023681
T02247	同 G02371	unify with G023681
G02385	保留	keep
T02261	查原片	check Original shape, keep or delete?
G02416	摹修	Modify Rep. Script Glyph
G02418	摹修	Modify Rep. Script Glyph
T02293	可保留	keep
T02295	查原片	check Original shape, keep or delete?
T02298	本缺右邊，考履刪除	delete?
T02289	與 P701 的 G02415 重複	unifiable
G02427	保留	keep
G02420	保留	keep
T02305	取一	unifiable
T02307		
G02435	取一	unifiable
T02315		
T02310	取一	unifiable
G02436		
T02311	查原片	check Original shape, keep or delete?
T02693	查原片	check Original shape, keep or delete?
T02321	保留	keep
G02774	留一個	unifiable
T02690		
T02691		
G02451	同一字	unifiable
T02331		
G02450	保留此字	keep
G02448	保留	keep
G03089	保留	keep

G02469	保留	keep
G02475	保留此形	keep
T02379	不要此形	delete?
G02487	形殘	delete?
T02358	保留	keep
G02502	查原片、是否保留	check Original shape, keep or delete?
G02512	查原片後再刪	delete?
T02491	查原片	check Original shape
T02487	查原片	check Original shape
T02436	查原片	check Original shape
G02528	待討論，放入「示」部	need discussion,change radical to 示
G02529	待討論，放入 P15 示部	need discussion,change radical to 示
T02489	與 P758 的 G02534	unifiable
T02527	保留	keep
T02526	保留	keep
T02514	保留	keep
T02533	保留	keep
T02536	保留	keep
G02621	摹修，保留	Modify Rep. Script Glyph
G02622	保留	keep
G02625	保留	keep
T02555	保留	keep
T02562	保留	keep
G02636	同一字	unifiable
G02626		
T02570		
T02573		
T02572		
G02677	查原片，看例證	check Original shape
G02698	摹修	Modify Rep. Script Glyph
G02725	保留	keep
G02757	保留	keep
G02760	保留其一	unifiable
T02661		
T02685	保留	keep
G02772	保留	keep
T02708	保留	keep

T02709	保留	keep
T02697	保留	keep
G02785	保留	keep
T02735	保留	keep
T02743	摹修	Modify Rep. Script Glyph
T02780	保留	keep
T02794	保留	keep
T02792	摹修	Modify Rep. Script Glyph
T02802	保留	keep
T02887	摹修	Modify Rep. Script Glyph
T02849	不要	delete
T02863	保留	keep

Universal Multiple-Octet Coded Character Set
UCS

ISO/IEC JTC1/SC2/WG2 N4048






















IRG N1786






















Date: 2011-5-13




Doc. Type:	Member body contribution
Title:	Request for comments on font-making of oracle-bone scripts
Source:	TCA
Status:	Input to WG2 and IRG
Action:	For discussion at the meeting
Distribution:	WG2 members and IRG members
No. of pages:	4
Appendixes	None
Medium:	Electronic

The Old Hanzi Expert Group had accomplished the collecting and reviewing work for the version 1 of the Oracle-bone script repertoire which contains about 7,000 Oracle-bone scripts. The reviewing work of the Oracle-bone script repertoire version 2 is in progress. According to the resolution IRG M36.7, the reviewing work for the Oracle-bone script repertoire version 2 will be finished at IRG#39, on Nov. 12-16, 2012. In order to support the code chart of Oracle-bone scripts, TCA will provide the TTF fonts for the 7,000 Oracle-bone scripts. Some samples of oracle-bone scripts and fonts are shown in Fig 1. The cells in the right-most column contain the ink rubbings from original oracle-bone materials. The cells in the middle column contain the hand drawings which are drawn by some Old Hanzi experts, according to each ink rubbing. And the cells in the left-most column contain the TTF fonts which are generated by the technicians of TCA, according to each hand drawing. Millions of TW dollars will be spent on generating TTF fonts of 7,000 Oracle-bone scripts. TCA needs to correctly and carefully produce those fonts of Oracle-bone scripts to avoid wasting time and money. Hence TCA requests comments in written from WG2 and IRG member bodies to help us successfully accomplish our job.

Fig 1 samples of oracle-bone scripts and fonts

TTF fonts	hand drawings	ink rubbings
		
		
		
		
		
		
		






TTF fonts	hand drawings	ink rubbings
		
		
		
		
		
		
		

TTF fonts	hand drawings	ink rubbings
		

IRG N1795 CJK-B font changes form TCA








The updated CJK-B's T-source fonts since the Da Nang meeting are as follows:

1. Mapping change

UCS Codes	Fonts in UCS 2003	Fonts in ISO/IEC 10646 v3	Comments
29974	 29974	29974 馬 187.11  GKX-1444.30 T7-564E  UCS-29974	<p style="color: red;">Changes font and T-source of U+29974 to T5-7234.</p>
29984	 UCS-29984	 GKX-1445.05 T5-7234	<p style="color: red;">Changes font and T-source of U+29984 to T7-564E.</p>

2. Font changed (Total 205 characters)

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20004	工 200B0	20004 一 12 工 T6-212D UCS-20004	T6-212D's font changed to same of that in UCS2003
200B0	帛 200B0	200B0 厂 27.5 帛 T6-2562 UCS-200B0	T2-2562's font changed to same of that in UCS2003
20099	耒 20104	20099 J 4.4 耒 T6-222F UCS-20099	T6-222F's font changed to same of that in UCS2003
20104	乾 20104	20104 乙 5.12 乾 T6-5051 UCS-20104	T6-5051's font changed to same of that in UCS2003
20137	肖 20137	20137 二 7.8 肖 T6-352C UCS-20137	T6-352C's font changed to same of that in UCS2003
20180	亭 20180	20180 → 8.11 亭 T6-5052 UCS-2003	T6-5052's font changed to same of that in UCS2003


UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20189	𢄐	 <p>UCS2003 GHZ-10293.01 T7-2123</p>	T7-2123's font changed to same of that in UCS2003
2018F	𢄑	 <p>2018F 人 8.14 UCS-2018F</p>	T7-2C3E's font changed to same of that in UCS2003
201C3	𢄒	 <p>UCS2003 人 9.4 T6-234B</p>	T6-234B's font changed to same of that in UCS2003
2030B	𢄓	 <p>人 9.10 UCS-2030B</p>	T5-3657's font changed to same of that in UCS2003
20382	𢄔	 <p>人 9.12 UCS-20382</p>	T6-5A67's font changed to same of that in UCS2003
2051C	𢄕	 <p>UCS2003 G1KX-0128.16 T6-353E</p>	T6-353E's font changed to same of that in UCS2003
20534	𢄖	 <p>人 12.14 UCS-20534</p>	TF-534F's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20535	<p>其奇</p>	<p>20535 八 12.14</p> <p>期 奇 TF-5350 UCS-20535</p>	<p>TF-5350's font changed to same of that in UCS2003</p>
20536	<p>真</p>	<p>20536 八 12.16</p> <p>真 奇 GHX-0128.25 T5-6134 UCS-20536</p>	<p>T5-6134's font changed to same of that in UCS2003</p>
20537	<p>弊</p>	<p>20537 八 12.16</p> <p>真 弊 TF-5E33 UCS-20537</p>	<p>TF-5E33's font changed to same of that in UCS2003</p>
20538	<p>實</p>	<p>20538 八 12.17</p> <p>實 實 GHX-0128.26 T7-462A UCS-20538</p>	<p>T7-462A's font changed to same of that in UCS2003</p>
20539	<p>實</p>	<p>20539 八 12.17</p> <p>實 實 GHX-0128.27 T7-462B UCS-20539</p>	<p>T7-462B's font changed to same of that in UCS2003</p>

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20768	𠄎	20768 <small>厂 18.9</small> 𠄎 <small>UCS2003 GKX-0142.26 T5-365E</small>	T5-365E's font changed to same of that in UCS2003
2086D	𠄏	𠄏 <small>GKX-0147.42 T4-2B74</small>	T4-2B74's font changed to same of that in UCS2003
20994	𠄐	20994 <small>+ 24.5</small> 𠄐 <small>T6-2375 UCS-20994</small>	T6-2375's font changed to same of that in UCS2003
209B1	𠄑	209B1 <small>+ 24.10</small> 𠄑 <small>TF-3954 UCS-209B1</small>	TF-3954's font changed to same of that in UCS2003
20A7D	𠄒	20A7D <small>厂 27.9</small> 𠄒 <small>UCS2003 GKX-0162.19 T6-3D5D</small>	T6-3D5D's font changed to same of that in UCS2003
20AA0	𠄓	20AA0 <small>厂 27.12</small> 𠄓 <small>TF-466D UCS-20AA0</small>	TF-466D's font changed to same of that in UCS2003
20AB3	𠄔	20AB3 <small>厂 27.13</small> 𠄔 <small>T7-2142</small>	T7-2142's font changed to same of that in UCS2003
20ABD	𠄕	20ABD <small>厂 27.14</small> 𠄕 <small>TF-5359 UCS-20ABD</small>	TF-5359's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20D51	喝	20D51 □ 30.8 喝 T5-3138 UCS-20D51	T5-3138's font changed to same of that in UCS2003
20E87	喜	20E87 □ 30.10 喜 UCS2003 TF-405C	TF-405C's font changed to same of that in UCS2003
21178	𪛗	21178 □ 30.20 𪛗 T7-5B47 UCS-21178	T7-5B47's font changed to same of that in UCS2003
21422	真	真 UCS2003 GKX-0239.06 真 T7-216F	T7-216F's font changed to same of that in UCS2003
214B4	𪛘 214B4	214B4 ± 32.15 𪛘 T7-3F33 UCS-214B4	T7-3F33's font changed to same of that in UCS2003
21502	塞	21502 ± 32.19 塞 UCS2003 GKX-0242.28 塞 T7-575B	T7-575B's font changed to same of that in UCS2003
21552	𪛙	21552 ± 34.0 𪛙 UCS2003 GKX-0244.1B 𪛙 T5-212F	T5-212F's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2157C	嬖 2157C	2157C 女 35.15 嬖 G1X0245.25 T7-464A 嬖 T7-464A	T7-464A's font changed to same of that in UCS2003
21660	葵 2167C	21660 大 37.10 葵 UCS2003 T4-3C5D 葵 T4-3C5D	T4-3C5D's font changed to same of that in UCS2003
2167C	彌 2167C	2167C 大 37.12 彌 T7-217E	T7-217E's font changed to same of that in UCS2003
21711	晏 21711	21711 女 38.6 晏 UCS2003 T6-2F7E 晏 T6-2F7E	T6-2F7E's font changed to same of that in UCS2003
218A9	嬖 218A9	218A9 女 38.13 嬖 TF-5423 UCS-218A9 嬖 UCS-218A9	TF-5423's font changed to same of that in UCS2003
218D5	嬖 218D5	218D5 女 38.14 嬖 UCS2003 T4-5625 嬖 T4-5625	T4-5625's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
219B9	嵐	 UCS2003 T6-2169 T6-2169	T6-2169's font changed to same of that in UCS2003
219C2	宀	219C2 <small>↔ 40.3</small> 宀 <small>T4-225A UCS-219C2</small>	T4-225A's font changed to same of that in UCS2003
219F4	窀	219F4 <small>↔ 40.6</small> 窀 <small>T6-3029 UCS-219F4</small>	T6-3029's font changed to same of that in UCS2003
21A34	寧	21A34 <small>↔ 40.8</small> 寧 <small>GHZ-20936.13 T4-312F</small> 寧 <small>H-FBCE UCS-21A34</small>	T4-312F's font changed to same of that in UCS2003
21D12	岑 21D12	21D12 <small>中 45.6</small> 岑 <small>T5-2876</small>	T5-2876's font changed to same of that in UCS2003
21F82	嶼	21F82 <small>山 46.15</small> 嶼 <small>UCS2003 GKX-0321.38 T7-465A</small>	T7-465A's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2203B	卷	2203B 己 49.6 卷 T6-3058 UCS-2203B	T6-3058's font changed to same of that in UCS2003
2209E	希	2209E 巾 50.6 希 UCS2003 T6-305A	T6-305A's font changed to same of that in UCS2003
220AE	幌	幌 UCS2003 GHZ-10736.21 幌 T6-3064	T6-3064's font changed to same of that in UCS2003
22110	椽	22110 巾 50.10 椽 UCS2003 GXX-0334.40 T4-3024	T4-3D24's font changed to same of that in UCS2003
221D6	纛	221D6 幺 52.19 纛 UCS2003 GHZ-21097.07 T7-576D	T7-576D's font changed to same of that in UCS2003
221ED	应	221ED 广 53.4 应 T6-2743 UCS-221ED	T6-2743's font changed to same of that in UCS2003
2235E	算	算 UCS2003 GXX-0354.27 算 T6-4851	T6-4851's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
22384	𠄎	22384 弋 56.5 𠄎 GKX-0355.10 T6-2B32 𠄎 UCS-22384	T6-2b32's font changed to same of that in UCS2003
223B2	𠄎	223B2 弓 57.3 𠄎 T6-246A UCS-223B2	T6-246A's font changed to same of that in UCS2003
225FB	忞	225FB 心 61.4 忞 T6-2B43 UCS-225FB	T6-2B43's font changed to same of that in UCS2003
2271A	𠄎	2271A 心 61.8 𠄎 𠄎 𠄎 UCS2003 GHZ-42318.12 T6-3F78	T6-3F78's font changed to same of that in UCS2003
227C2	𠄎	227C2 心 61.10 𠄎 𠄎 UCS2003 TF-4828	TF-4828's font changed to same of that in UCS2003
229CD	𠄎	229CD 戈 62.8 𠄎 𠄎 UCS2003 T6-4929	T6-4929's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
22AC2	搽 UCS2003	22AC2 手 64.5 搽 搽 UCS2003 T6-2B62	T6-2B62's font changed to same of that in UCS2003
22B49	搥	22B49 手 64.7 搥 搥 搥 UCS2003 GXX-0434.17 T6-3157	T6-3157's font changed to same of that in UCS2003
22BAE	搨	22BAE 手 64.8 搨 搨 UCS2003 T6-402E	T6-402E's font changed to same of that in UCS2003
22C80	搥	22C80 手 64.10 搥 搥 UCS2003 T5-3F4F	T5-3F4F's font changed to same of that in UCS2003
22E0F	搥	22E0F 手 64.15 搥 搥 UCS2003 TF-5E69	TF-5E69's font changed to same of that in UCS2003
22E95	搥	搥 搥 搥 UCS2003 GHC T7-577B	T7-577B's font changed to same of that in UCS2003
22EAC	搥	搥 搥 UCS2003 T7-6238	T7-6238's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
22FE9	<p>敬</p>	<p>敬 T7-2E49</p>	<p>T7-2E49's font changed to same of that in UCS2003</p>
2300A	<p>廉 2300A</p>	<p>2300A 廉 支 66.13 T5-5B5B</p>	<p>T5-5B5B's font changed to same of that in UCS2003</p>
23031	<p>叢 23031</p>	<p>23031 叢 支 66.17 T5-7026</p>	<p>T5-7026's font changed to same of that in UCS2003</p>
23086	<p>𪗇</p>	<p>𪗇 T4-436A</p>	<p>T4-436A's font changed to same of that in UCS2003</p>
2327B	<p>𪗈 23286</p>	<p>2327B 𪗈 日 72.11 UCS2003 GKK-0499.08 T7-2362</p>	<p>T7-2362's font changed to same of that in UCS2003</p>
23286	<p>𪗈 23286</p>	<p>23286 𪗈 日 72.11 T7-2362</p>	<p>T7-2362's font changed to same of that in UCS2003</p>
232AE	<p>𪗉 232AE</p>	<p>232AE 𪗉 日 72.12 UCS2003 T7-2E54</p>	<p>T7-2E54's font changed to same of that in UCS2003</p>

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
23390	媵	媵 UCS2003 T6-5D5E	T6-5D5E's font changed to same of that in UCS2003
23399	勝	23399 月 74.11 勝 UCS2003 TF-4F3C	TF-4F3C's font changed to same of that in UCS2003
233BB	朶	朶 UCS2003 T6-247E	T6-247E's font changed to same of that in UCS2003
233C5	朶	朶 UCS2003 T6-282B	T6-282B's font changed to same of that in UCS2003
2347E	春	2347E 木 75.6 春 UCS2003 T6-3852	T6-3852's font changed to same of that in UCS2003
2348F	柎	柎 UCS2003 T6-4063	T6-4063's font changed to same of that in UCS2003
2368E	椽	椽 T4-505F	T4-505F's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
23767	爾 23767	23767 木 75.14 爾 T7-3F7C	T7-3F7C's font changed to same of that in UCS2003
23789	藁 23789	23789 木 75.14 藁 T7-4022	T7-4022's font changed to same of that in UCS2003
237BF	椽 	椽 UCS2003 椽 TF-625E	TF-625E's font changed to same of that in UCS2003
2384F	藁 2384F	2384F 木 75.20 藁 T7-6071	T7-6071's font changed to same of that in UCS2003
23951	尙	尙 T6-2C36	T6-2C36's font changed to same of that in UCS2003
23998	駟 23998	23998 止 77.11 駟 T7-2421 駟 UCS-23998	T7-2421's font changed to same of that in UCS2003
23A4C	殍	殍 UCS2003 殍 T6-5D2D	T6-5D2D's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
23C87	行	23C87 水 85.3 行 汗 UCS2003 TF-225C	TF-225C's font changed to same of that in UCS2003
23E8F	滿	滿 滿 UCS2003 T6-5440	T6-5440's font changed to same of that in UCS2003
240D4	濬	濬 濬 UCS2003 TF-6271	TF-6271's font changed to same of that in UCS2003
24239	炎	24239 火 86.7 炎 炎 UCS2003 T6-4153	T6-4153's font changed to same of that in UCS2003
2442F	燭	燭 燭 GKX-0686.05 T4-5B63	T4-5B63's font changed to same of that in UCS2003
2444B	燧 2444B	2444B 火 86.14 燧 燧 T7-392A	T7-392A's font changed to same of that in UCS2003
24548	噐	噐 噐 UCS2003 T7-5368	T7-5368's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2458A	𪛗	2458A <small>升 90.8</small> 𪛗 <small>UCS2003 T6-4B25</small>	T6-4B25's font changed to same of that in UCS2003
24AEC	𪛘	24AEC <small>厶 97.4</small> 𪛘 <small>UCS2003 GKX-0746.07 T5-2A46</small>	T5-2A46's font changed to same of that in UCS2003
24BA1	𪛙	24BA1 <small>瓦 98.14</small> 𪛙 <small>UCS2003 T5-683F</small>	T5-683F's font changed to same of that in UCS2003
24BA9	𪛚	𪛚 <small>UCS2003 GKX-0753.06 T5-704B</small>	T5-704B's font changed to same of that in UCS2003
24F54	𪛛	𪛛 <small>T6-3329</small>	T6-3329's font changed to same of that in UCS2003
25085	𪛜	𪛜 <small>UCS2003 T6-5F4B</small>	T6-5F4B's font changed to same of that in UCS2003
25149	𪛝	25149 <small>目 109.5</small> 𪛝 <small>UCS2003 T6-3A2B</small>	T6-3A2B's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
253F0	璣 UCS-25677	253F0 矢 111.9 璣 璣 璣 UCS2003 GHZ-10483.09 T5-4770	T5-4770's font changed to same of that in UCS2003
2560D	礼 UCS-2560D	2560D 示 113.3 礼 礼 礼 T6-2D48 UCS-2560D	T6-2D48's font changed to same of that in UCS2003
25677	補 UCS-25677	25677 示 113.7 補 補 補 T6-4C36 UCS-25677	T6-4C36's font changed to same of that in UCS2003
25747	畧 UCS-25747	25747 内 114.11 畧 畧 畧 T7-3060 UCS-25747	T7-3060's font changed to same of that in UCS2003
2570A	稇 UCS-2570A	2570A 示 113.13 稇 稇 稇 UCS2003 TF-5B50	TF-5B50's font changed to same of that in UCS2003
257DE	稈 UCS-257DE	257DE 禾 115.8 稈 稈 稈 T6-557C UCS-257DE	T6-557C's font changed to same of that in UCS2003
25873	稽 UCS-25873	25873 禾 115.11 稽 稽 稽 T7-306C UCS-25873	T7-306C's font changed to same of that in UCS2003
25874	稽 UCS-25874	25874 禾 115.11 稽 稽 稽 UCS2003 T7-3061	T7-3061's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
259FD	𦵱 UCS-25A10	259FD 穴 116.11 𦵱 UCS2003 GKX-0868.21 T5-5655 𦵱 T5-5655	T5-5655's font changed to same of that in UCS2003
25A10	𦵱 UCS-25A10	25A10 穴 116.12 𦵱 GKX-0868.36 T4-574E	T4-574E's font changed to same of that in UCS2003
25B03	𦵱 UCS-25B03	25B03 竹 118.4 𦵱 TF-3168 UCS-25B03	TF-3168's font changed to same of that in UCS2003
25B1F	𦵱 25B1F	25B1F 竹 118.5 𦵱 T6-4278	T6-4278's font changed to same of that in UCS2003
25C09	𦵱 UCS-25C09	25C09 竹 118.9 𦵱 T7-2652 UCS-25C09	T7-2652's font changed to same of that in UCS2003
25C4D	𦵱	25C4D 竹 118.10 𦵱 UCS2003 T5-565B	T5-565B's font changed to same of that in UCS2003
25E07	𦵱 25E07	25E07 竹 118.19 𦵱 T7-612D	T7-612D's font changed to same of that in UCS2003
25EA0	𦵱 UCS-25EA0	25EA0 米 119.8 𦵱 GKX-0910.15 T6-6032	T6-6032's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
25F22	糞 UCS-25F22	25F22 米 119.12 糞 T7-4E78 UCS-25F22	T7-4E78's font changed to same of that in UCS2003
26065	縹 UCS-26065	26065 糸 120.8 縹 T6-6038	T6-6038's font changed to same of that in UCS2003
2618F	縵 2618F	2618F 糸 120.13 縵 T7-485E	T7-485E's font changed to same of that in UCS2003
26328	𪛗 UCS-26328	26328 网 122.13 𪛗 T7-3A4A UCS-26328	T7-3A4A's font changed to same of that in UCS2003
263AB	𪛘 UCS-263AB	𪛘 T4-4C48	T4-4C48's font changed to same of that in UCS2003
2649B	𪛙 2649B	2649B 羽 124.12 𪛙 T7-416B	T7-416B's font changed to same of that in UCS2003
264C1	𪛚 264C1	264C1 老 125.8 𪛚 T7-2726 UCS-264C1	T7-2726's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
26565	聿 <small>UCS-26565</small>	26565 <small>耳 128.6</small> 聿 聿 <small>T5-3B43 UCS-26565</small>	T6-4D35's font changed to same of that in UCS2003
26566	欺 <small>UCS-26566</small>	26566 <small>耳 128.6</small> 欺 欺 <small>T6-4D35 UCS-26566</small>	T6-4D35's font changed to same of that in UCS2003
26720	腴 26720	26720 <small>肉 130.8</small> 腴 <small>T6-4D47</small>	T6-4D47's font changed to same of that in UCS2003
2683C	臙 	2683C <small>肉 130.12</small> 臙 臙 <small>UCS2003 T7-4221</small>	T7-4221's font changed to same of that in UCS2003
26870	膊 	膊 膊 <small>GKX-0996.26 T4-5C75</small>	T4-5C75's font changed to same of that in UCS2003
26883	瞻 <small>UCS-26883</small>	26883 <small>肉 130.14</small> 瞻 瞻 <small>T7-417D UCS-26883</small>	T7-417D's font changed to same of that in UCS2003
268FD	直 	直 直 <small>GKX-1000.13 T6-2D70</small>	T6-2D70's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2699F	興券 UCS-2699F	興券 TF-6044	TF-6044's font changed to same of that in UCS2003
269B4	興費 UCS-269B4	興費 TF-6835	TF-6835's font changed to same of that in UCS2003
26A37	舩 UCS-26A37	26A37 舩 137.6 GHZ-53061.03 T4-3A53 舩	T4-3A53's font changed to same of that in UCS2003
26AC1	艦 UCS-26AC1	26AC1 舩 137.16 T7-5450 UCS-26AC1 艦	T7-5450's font changed to same of that in UCS2003
26AC2	艦 UCS-26AC2	艦 T7-5451	T7-5451's font changed to same of that in UCS2003
26C27	棊 UCS-26C27	棊 T5-3525	T5-3525's font changed to same of that in UCS2003
26C60	棊 UCS-26C60	26C60 舩 140.8 GKX-1041.27 T6-6132 舩 舩	T6-6132's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
26D20	菌 UCS-26D20	26D20 卅 140.9 菌 T6-5759 UCS-26D20	T6-5759's font changed to same of that in UCS2003
26DBC	莎	26DBC 卅 140.10 莎 UCS2003 TF-4B6F	TF-4B6F's font provided same of that in UCS2003
26E49	葬	26E49 卅 140.11 葬 UCS2003 T7-275A	T7-575C's font changed to same of that in UCS2003
26EC3	萑 UCS-26EC3	26EC3 卅 140.12 萑 GKX-1059.18 T5-575C	T5-575C's font changed to same of that in UCS2003
26EDE	夔	26EDE 卅 140.12 夔 T5-5757 UCS-26EDE	T5-5757's font changed to same of that in UCS2003
26EE9	螿	26EE9 卅 140.12 螿 T7-3259 UCS-26EE9	T7-3259's font changed to same of that in UCS2003
26F71	𪗇 UCS-26F71	26F71 卅 140.13 𪗇 GKX-1062.44 T7-4935	T7-4935's font changed to same of that in UCS2003











UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27056	蓄 UCS-272F0	27056 卹 140.15 蓄 UCS2003 T7-4948	T7-275A's font changed to same of that in UCS2003
27097	罇 UCS-272F0	27097 卹 140.16 罇 UCS2003 罇 GXX-1066.24 罇 T7-4F62	T7-4F62's font changed to same of that in UCS2003
2710B	罇 2710B	2710B 卹 140.17 罇 T7-5458	T7-5458's font changed to same of that in UCS2003
271D5	膚 271D5	271D5 卹 141.9 膚 T7-2828	T7-2828's font changed to same of that in UCS2003
272F0	虻 UCS-272F0	272F0 虫 142.7 虻 T7-496B 虻 UCS-272F0	T7-496B's font changed to same of that in UCS2003
273C2	螻 UCS-273DD	273C2 虫 142.10 螻 UCS2003 螻 GXX-1094.06 螻 T5-5773	T5-5773's font changed to same of that in UCS2003
273DD	𧈧 UCS-273DD	𧈧 T7-3323	T7-3323's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27468	𧈧 <small>虫</small> UCS-27468	27468 <small>虫</small> 142.12 GKX-1098.30 T7-4269 𧈧 虫	T7-4269's font changed to same of that in UCS2003
2758F	𧈧 UCS-2758F	2758F <small>虫</small> 142.21 UCS2003 T7-636D 𧈧 虫	T7-636D's font changed to same of that in UCS2003
275E6	術 UCS-275E6	術 刑 GKX-1109.07 T5-3036	T5-3036's font changed to same of that in UCS2003
27664	𧈧 UCS-27664	27664 <small>衣</small> 145.6 GKX-1116.14 T5-3C33 𧈧 𧈧	T5-3C33's font changed to same of that in UCS2003
27762	𧈧 27762	27762 <small>衣</small> 145.12 T7-4323 𧈧	T7-4323's font changed to same of that in UCS2003
27711	𧈧 UCS-27711	27711 <small>衣</small> 145.10 T7-332E UCS-27711 𧈧 𧈧	T7-332E's font changed to same of that in UCS2003
2778C	𧈧 UCS-2778C	2778C <small>衣</small> 145.13 T7-4F7D UCS-2778C 𧈧 𧈧	T7-4F7D's font changed to same of that in UCS2003









UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27856	覷 <small>UCS-27856</small>	27856 <small>見 147.8</small> 覷 覷 <small>T5-506E UCS-27856</small>	T5-506E's font changed to same of that in UCS2003
27860	規 <small>UCS-27860</small>	27860 <small>見 147.8</small> 規 規 <small>GHZ-80038.17 T7-2861</small>	T7-2861's font changed to same of that in UCS2003
278AE	覷 <small>UCS-278AE</small>	覷 <small>T4-6E3B</small>	T4-6E3B's font changed to same of that in UCS2003
27982	覷 <small>UCS-27982</small>	覷 <small>T6-4475</small>	T6-4475's font changed to same of that in UCS2003
27986	訥 <small>UCS-27986</small>	27986 <small>言 149.4</small> 訥 訥 <small>T6-446E UCS-27986</small>	T6-446E's font changed to same of that in UCS2003
279BB	誇 <small>UCS-279BB</small>	279BB <small>言 149.5</small> 誇 誇 誇 誇 <small>UCS2003 GHZ-80040.15 T6-4E75</small>	T6-4E75's font changed to same of that in UCS2003
27B08	諭 <small>UCS-27B08</small>	27B08 <small>言 149.12</small> 諭 諭 <small>GKX-1180.21 T4-6141</small>	T4-6141's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27BB8	𠂇 27DEB	𠂇 GKX-1190.09 T4-474D	T4-474D's font changed to same of that in UCS2003
27DEB	𠂇 27DEB	𠂇 TF-6076 UCS-27DEB	TF-6067's font changed to same of that in UCS2003
27E2E	𠂇 UCS-27E2E	𠂇 TF-684F UCS-27E2E	TF-684F's font changed to same of that in UCS2003
27FAB	𠂇 UCS2003	𠂇 TF-594B UCS2003 GHZ-53504.06 T7-594B	T7-594B's font changed to same of that in UCS2003
281BC	𠂇 281BC	𠂇 TF-6852 H-9045 UCS-281BC	TF-6854's font changed to same of that in UCS2003
2837F	𠂇 UCS-2837F	𠂇 T5-5F24 UCS-2837F	T5-5F24's font changed to same of that in UCS2003











UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
28443	辰 UCS-28443	辰 GKK-1252.19 T6-292C 辰 T6-292C	T6-292C's font changed to same of that in UCS2003
284D2	逵 284D2	逵 284D2 是 162.7 逵 T6-455A UCS-284D2	T6-455A's font changed to same of that in UCS2003
28531	逵 28531	逵 28531 是 162.9 逵 GKK-1262.19 T6-5933 逵 UCS-28531	T6-5933's font changed to same of that in UCS2003
2855B	逮 2855B	逮 2855B 是 162.9 逮 UCS2003 T5-4357	T5-4357's font changed to same of that in UCS2003
28598	逵 UCS-28598	逵 TF-5252 UCS-28598 逵 UCS-28598	TF-5252's font changed to same of that in UCS2003












UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2860E	 2860E	 2860E 遼 162.14 TF-612B UCS-2860E	TF-612B's font changed to same of that in UCS2003
28622	 28622	 28622 遼 162.15 G0X-1267.18 T7-4B22 邊 UCS-28622	T7-4B22's font changed to same of that in UCS2003
287C8	 UCS-287C8	 T7-442A UCS-287C8	T7-442A's font changed to same of that in UCS2003
2884B	 UCS-2884B	 T7-2A28 UCS-2884B	T7-2A28's font changed to same of that in UCS2003
288B1	 288B1	 T7-4436 UCS-288B1	T7-4436's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
28888	<p>鞞 UCS-28888</p>	<p>鞞 GKX-1286.02 T5-5F43</p>	T5-5F43's font changed to same of that in UCS2003
28938	<p>鞞 28938</p>	<p>鞞 TF-685D UCS-28938</p>	TF-685D's font changed to same of that in UCS2003
289FE	<p>鞞 289FE</p>	<p>鞞 T5-5933 UCS-289FE</p>	T5-5933's font changed to same of that in UCS2003
28A9F	<p>鞞 28A9F</p>	<p>鞞 T5-6555 UCS-28A9F</p>	T5-6555's font changed to same of that in UCS2003
28B34	<p>鞞 28B34</p>	<p>鞞 UCS2003 TF-6662</p>	TF-6662's font changed to same of that in UCS2003
28C58	<p>鞞 UCS-28C58</p>	<p>鞞 T6-2934 UCS-28C58</p>	T6-2934's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
28F71	 28F71	 28F70 卓 170.21 隳 UCS2003 28F71 卓 170.21 隳 UCS2003 隳 T7-5F78	T7-5F78's font changed to same of that in UCS2003
290AD	 290AD	 T6-637E UCS-290AD	T6-637E's font changed to same of that in UCS2003
290BE	 290BE	 290BE 雨 173.7 𩇛 GHX-1374.16 T5-5243 𩇛 UCS-290BE	T5-5243's font changed to same of that in UCS2003
293B7	 UCS-293B7	 GHZ-74506.17 T5-595A	T5-595A's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
294F1	頷 UCS-294F1	頷 T7-3D6B UCS-294F1 頷 UCS-294F1	T7-3D6B's font changed to same of that in UCS2003
29563	頷 UCS-29563	頷 GKX-1410.08 T7-5A2F 頷 T7-5A2F	T7-5A2F's font changed to same of that in UCS2003
295DF	颯 UCS-295DF	颯 T5-5975 UCS-295DF 颯 T5-5975 UCS-295DF	T5-5975's font changed to same of that in UCS2003
2976E	飢 飢 UCS-2003 T7-4529	2976E 食 184.10 UCS-2003 T7-4529 飢 T7-4529	T7-4529's font changed to same of that in UCS2003
2979F	餐 餐 UCS-2003 T4-653E	2979F 食 184.11 UCS-2003 T4-653E 餐 T4-653E	T4-653's font changed to same of that in UCS2003
2986E	馱 UCS-2986E	馱 T6-5047 UCS-2986E 馱 UCS-2986E	T6-5047's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
298DB		<p>298DB 馬 187.7</p> 	T7-3E27's font changed to same of that in UCS2003
2995C			T7-5167's font changed to same of that in UCS2003
29995		<p>29995 馬 187.12</p> 	TF-6A38's font changed to same of that in UCS2003
29AD7			T5-6040's font changed to same of that in UCS2003
29540		<p>29540 頁 181.11</p> 	T4-6534's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2A2E5	 2A2E5	2A2E5  鹿 198.12  GHZ-74735.16 T7-5E3A  UCS-2A2E5	T7-5E3A's font changed to same of that in UCS2003
2A5F2	 UCS-2A5F2	 T4-4878  UCS-2A5F2	T4-4878's font changed to same of that in UCS2003
2A170	 2A170	2A170  鳥 196.12  GHX-1500.17 T7-5E27  UCS-2A170	T7-5E27's font changed to same of that in UCS2003

Universal Multiple-Octet Coded Character Set
UCS

ISO/IEC JTC1/SC2/WG2 IRG N 1806

Date: 2011-11-4

Doc. Type:	Member body contribution
Title:	Activity Report form TCA
Source:	TCA
Status:	Input to IRG
Action:	For Your Information
Distribution:	IRG Members and Ideographic Experts
No. of pages:	1
Appendixes	None
Medium:	Electronic

1. Reviewing work on CJK-B multi-column ideographic code chart:

According to the resolution IRG M36.3, TCA had collected totally 207 T-glyphs that should be changed from appendix files of IRG N1775 CJK Editorial Group Report. Then TCA submitted the code list and delta ttf file for changing those 207 T-source glyphs to CJK editors and WG2 project editor on July 1, 2011. In addition, TCA submitted the revised delta ttf file of those 207 glyphs on July 6, 2011. TCA also reviewed the consolidated comments on IRG N1784 CJK-B code charts and collected totally 23 T-glyphs that should be changed. Then TCA submitted the document for responding IRG N1784 and the delta list and ttf file for changing those 23 T-source glyphs to IRG chief editor and WG2 project editor before this meeting. By the way, totally 230 T-glyph had been changed for revising the CJK-B code chart.

2. The Old Hanzi ad hoc meeting at Taipei:

Based on the resolution IRG M36.7, TCA/CMEX hosted the first Old Hanzi ad hoc meeting at Taipei on September 26 - 29, 2011. In this meeting, the attendees had discussed the consolidated comments for the oracle-bone glyphs with SW radical #76 - #300 and made some conclusions about old Hanzi reviewing work. Japan will host next Old Hanzi ad hoc meeting at Tokyo on January 2012.

3. The continuous promotion for CNS 11643 repertoire:

In order to promote the CNS 11643 repertoire, the IMC of DGBAS (the Information Management Center of the Directorate-General of Budget, Accounting and Statistics) held 15 seminars from August to October 2011. Those seminars introduce the coding scheme of CNS 11643, and the content and usage methods of the CNS 11643 repertoire. Totally 602 people attended or sign up those seminars.